









Let	h	. be	ال ،	ie b	lack	heij	pht	of	red	blac	k ta	ee	of	n	
nod	<u>e</u> s														
We	nıl	ed to	fi	ind	a	rek	ation	b/	v	N	and	h			
Wha	ţ ì	is the) 1	ninim	um	num	ber	Ø	nodes	f	92 a	2	jiven	h ?	
Û		.sm ollos	1	Lohen			adu	0	- 000	h	ch ·				
	US	Situale	<i></i>	NIK II		ui M		s Jh		DIU	ur ·				
N	IS	lazees	£	<i>cohi</i> n	,	altern	ate	Revels	 ar	e b	lack	and	,	ed	
Ove	rall	height	=	2h											
Ove	sall	height	=	Zh		າ .	2	h _	1						











Delet	ion	ìn	Red	Blac	e T	rel						Jin ts	sestion ec vs	in A	VL	
	If	node	ંહ	lo	raf,	dire	ectly	dele	te	it.		Ir	sertion	RBT		
In	BST	ณ	ode	ተወ	be	delete	d	is j	irst							
Swat	ped	µji H	, î	k	SUCCE	પ્રક્રમ	and	the	n	Succe	ይያይላ					
nod	1 e ~u	8	delete	z <i>o</i> l												
_	The	nod	e ⁷	that	ાંક	del	eted	is	eit	her	a	leat	node	, Or		
	paren	ıt	to	a	leaf	noc	le.									
					•											















Time Complexity -> Double red problem does not get introduced in deletion → If we keep on falling in case 1.1 we may have to go towards roof. 4 cases when (a) is black 2 cases when (a) is red Figure